

PROGRESSIVE THUMB

PPB SERIES



PROS

Choice of 2-4 fingers

180° rotation

For excavators from 1.5 to 40 tons

XHD Cylinder included

TECHNICAL SPECIFICATIONS

GENERAL OVERVIEW

PROGRESSIVE THUMB

GRYB offers a full range of thumbs to suit your needs, regardless of the task ahead. For your demolition project choose our progressive thumb, it's the number one choice especially if you need to accomplish work at height. Our improved sleek design ensures good visibility and unmatched strength.



TECHNICAL SPECIFICATIONS

CLASS	PART	WIDTH (IN)	ANGLE	NB OF TEETH	WEIGHT (LB)
15	PPB015	20	180	2 or 4	150
35	PPB035	25	180	2 or 4	200
50	PPB050	30	180	2 or 4	250
75	PPB075	36	180	2 or 4	550
120	PPB120	52	180	2 or 4	1 150
160	PPB160	58	180	2 or 4	1 200
200	PPB200	60	180	2 or 4	1 480
250	PPB250	60	180	2 or 4	2 100
270	PPB270	63	180	2 or 4	2 100
300	PPB300	68	180	2 or 4	2 500
400	PPB400	68	180	2 or 4	3 600



COMPATIBILITY

- ✓ Bobcat
- ✓ Doosan
- ✓ Kobelco
- ✓ John Deere
- ✓ Mustang
- ✓ Terex
- ✓ Case
- ✓ Hitachi
- ✓ Komatsu
- ✓ Liebherr
- ✓ New Holland
- ✓ Volvo
- ✓ Caterpillar
- ✓ Hyundai
- ✓ Kubota
- ✓ Link-Belt
- ✓ Takeuchi
- ✓ Yanmar

OPTIONS

- Choice of 2, 3 or 4 fingers

