



OILQUICK®

ANY MACHINE. ANY ATTACHMENT. ANYTIME.



OilQuickAmericas.com
Manufactured in the USA



What an incredible ride we have been on with OilQuick! In 2016 Exodus Global formed a division, OilQuick USA and signed a distribution agreement with OilQuick AB, Sweden to be the sole distributor into the United States of the Automatic OilQuick Coupler System.

OilQuick products have been in the European market for decades, but the market in the United States was undeveloped.

Advance forward to 2021 and market demand was hot and growing. Scrap recyclers, demolition contractors, utility companies, construction companies and more were sold on the benefits of the OilQuick system! We knew we had reached a point where manufacturing in the United States was a must.

Over the years a bond was established between the OilQuick USA and OilQuick AB, Sweden teams. Joining together, creating a new company, investing millions into state-of-the-art manufacturing equipment, simply felt right. With that OilQuick Americas was born!

January 1, 2022, OilQuick Americas "OQA" was unveiled, and we could not be more excited or confident in our success. Out of the box OQA has full engineering capabilities and certain manufacturing abilities, with full manufacturing online later in 2022.

Our passion to serve this industry runs deep, our commitment to quality and customer service even deeper, yet neither reach the level of appreciation we have for our employees. We could not do what we do without their skill, dedication, work ethic, and talent.

I am humbled and privileged to sit in the chair I do and with that comes a responsibility. My commitment to our customers, vendors and employees is to operate this company with integrity and passion.


Oh, and one more thing, we are going to have fun along the way!

A handwritten signature in black ink, appearing to read "Kevin".

Kevin Boreen, CEO







Any Machine. Any At

CHANGE ANY ATTACHMENT IN SECONDS!

OilQuick is an automatic quick coupler system that allows attachments to be connected and disconnected from the driver's cab.

The operator can change between various work tools within a few seconds, such as a hydraulic hammers, steel or concrete shears, sorting grapples, hydraulic magnets, compactors, sorting buckets, tilt buckets or tiltrotators.

Always have the right attachment for the job.

OilQuick launched the world's first quick coupler system to the market in 1993, which is still regarded as one of the most advanced today. The system is available for excavators from 1 to 120 t as well as material handlers/cranes, forklifts, and wheel loaders.

The OilQuick system will make your company more flexible, competitive and cost effective. Increase your machine's productivity up to a proven 35%, all while utilizing attachments exactly for what they are designed for.

Attachment. Anytime.

BENEFITS WITH OILQUICK

FAST AND EFFICIENT

The OilQuick quick coupler system enables the operator to change over quickly between various mechanical and hydraulic attachments from inside the cab. As a result, have the right tool for the job in every situation, so you can work faster and more efficiently.

HIGHEST QUALITY

OilQuick quick couplers and tool adapters are of the highest quality and ensure a precision fit. The coupler locks the attachments in place at full system pressure. This ensures engagement with no play resulting in minimum wear and long service life for the coupler system.

SAFE QUICK COUPLER SYSTEM

OilQuick quick coupler systems are safe and secure. Safety features include double hose break valves and a system for constantly readjusting the locking bolts hydraulically. The locking is operated via a pressure panel or touch screen.

IMPROVED WORKING CONDITIONS

As work tools are changed and coupled automatically, the operator does not have to get out of the cab. No more handling of couplings covered in oil or leaving the cab with unnecessary exposure to risks. OilQuick boosts morale at work, even in a downpour or snow storm.

MORE COST EFFECTIVE

Fast tool change and efficient use of the excavator help to increase productivity. Experience has shown that investing in an OilQuick quick coupler pays off when you are changing hydraulic work tools two or more times within a working day.

ECO-FRIENDLY

All OilQuick quick couplers are fitted with leak-free oil quick couplings, which are eco-friendly.

CLEAN SYSTEM PARTNER

A certified partner program to protect the users and create confidence in our trade partners.





MANUFACTURE

THE



MADE IN THE USA

In partnership with OilQuick AB, OilQuick Americas will be manufacturing the automatic couplers and brackets at our 90,000 square foot facility in Superior, WI starting in 2022.

Millions of dollars have been invested in new state-of-the-art machining centers and weld cells. More importantly we are investing in people with multiple new hires and advanced training for existing personnel.

This investment will support the ever-growing demand from OEM's, dealers and end users in North and South America.

OilQuick Americas is fully committed to leading the inevitable transformation to automatic couplers in the Americas.



Excavators

OQ System for Excavators

Basic Data

MODEL	Width (in.)	Pin distance (in.)	Weight (lbs.)	Weight of Machine (T)	Max. number of hose couplers						Electrical Coupling (Optional)
					Max	3/8"	1/2"	3/4"	1"	1.5"	
OQ 40/24	9.44	11.8	66	1 - 5	4	2	2				Yes
OQ 45-5	11.4	16.9	187	5.5 - 13	5	3	2				Yes
OQ 60-5	13.4	18.9	298	8 - 18	5	2	1	2			Yes
OQ 65	17.3	20.9	375	15 - 24	5		2	3			Yes
OQ 65/Rail	17.32	20.4	375	15 - 24	8		5	3			Yes
OQ 70/55	21.7	23.6	507	20 - 31	6		2	2	2		Yes
OQ 80	23.2	26.4	705	28 - 44	6		2	2	2		Yes
OQ 90	29.5	29.5	1390	44 - 77	9	1	3	1	4		Yes
OQ 120	34.3	36.4	2646	77 - 132	8		3		3	2	Yes

OilQuick quick couplers and tool adapters are of the highest quality and ensure a precision fit. The coupler locks the attachments in place at full system pressure, engages with no play resulting in minimum wear and long-service life for the coupler system.



Cranes/Material Handlers

OQC System for Cranes/Material Handlers

Basic Data

MODEL	Rotator	Dimensions (in.)					Weight (lbs.)			Max. lift capacity
		A	B	C	D	E	Coupler	Rotator	Adapter	Metric Tonne (t)
OQC65-I20	XR400	20.9	17.4	28.3	28.6	20.2	496	551	516	20
OQC65-R20	RT504	20.9	17.4	28.3	44.4	36.0	496	671	516	20
OQC65-R25	RT1004	20.9	17.4	28.3	47.1	38.8	496	970	516	25
OQC70/55-R35	RT1204	25.6	21.7	30.7	51.4	42.2	771	1670	758	35
OQC90-R54	RT1204	37.4	29.6	43.3	58.5	46.4	2168	1580	2128	54
OQC90-R68	RT1504	37.4	29.6	43.3	64.4	52.3	2168	1924	2128	68

*Weight without grapple suspension

MODEL	Dimensions (in.)			
	1"	3/4"	1/2"	3/8"
OQC65-I20	-	3	2	-
OQC65-R20	-	3	2	-
OQC65-R25	-	3	2	-
OQC70/55-R35	2	2	2	-
OQC90-R54	4	1	3	1
OQC90-R68	4	1	3	1



The OQC is an OilQuick suspended quick coupler, which is primarily designed for use on loading cranes and other handling equipment.

The system consists of an extremely rugged 360° rotator mounted on our fully hydraulic, tried-and-tested quick coupler. The OQC unit is suspended from the handling equipment's stick.

All OQC systems come with an electric swivel. The coupler can be configured with electrical couplings to operate lifting magnets.

Wheel Loaders

OQL System for Wheel Loaders

Change tools such as log forks, high dumping buckets, pallet forks with hydraulic tine adjustment, sweepers, bale clamps, and rotating bale clamps quickly from the comfort of the cab.

Basic data

MODEL	OQL 310-1	OQL 310-2	OQL 310-3	OQL 410
Weight	595	772	948	1389
Width	46	47	47	52
Working pressure (psi)	5076	5076	5076	5076
Max. number of quick couplers	6	6	6	6
1/2" (max 70L/min)	2*	2*	2*	2*
3/4" (max 140:/min)	4	4	4	4
Electrical coupling 10-pole (optional)	Left hand side	Left hand side	Left hand side	Left hand side
Weight of machine	6 - 10 t	10 - 14 t	12 - 20 t	22-36 t
Suitable for model of Volvo	L50	L60	L70-L120	L150-L220

*When using an electrical coupling, one 1/2" quick coupling is replaced

Service



OUR COMMITMENT TO SERVICE RUNS DEEP.


Providing our customers with first-class support is a priority for us. A team of knowledgeable field technicians are available when needed for on-site technical support and training.

We will work with you to get you up and running. We are available for video chats, phone calls, emails and will send technicians out that will not only provide exceptional service, but will also train your team.

In effort to quickly respond to your installation, service and parts needs, our factory support team is always available.

Contact our service team at 715.718.6969
or service@OilQuickAmericas.com

OILQUICK TILTROTATOR



OilQuick tiltrotator is a hydraulic wrist that turns your excavator into a highly versatile machine.

If you mount automatic OilQuick quick couplers on top of and underneath the Tiltrotator, it not only tilts to the side and rotates for greater maneuverability but also enables you to attach hydraulic tools within a few seconds.

If you have an OilQuick system mounted on top of the tiltrotator, you can remove it quickly to attach a standard bucket, ripper or hydraulic hammer, thus making maximum use of your excavator's capacity and breakout force. This also makes sure that the right tool is used for the right job!

OilQuick tiltrotators are available for excavators between 5-33 tons. The OilQuick system makes your excavator and company more versatile, competitive and profitable!

SAFE TOOL CHANGE WITH THE OQ-LOCKSUPPORT

Sensor detection of attachment pins and locking cylinder position

Sensor detection of attachment pins

OilQuick LockSupport (OQLS) is a user-friendly driver support for safe and secure attachment switching on excavators. OQLS is available for all sizes of OilQuick fully automatic quick couplers.

Switching between buckets and attachments several times per day can provide an element of risk.

The OQLS gives the operator safe and secure support for the right decisions when switching buckets and attachments. This ensures that the operator can determine that the attachments are aligned correctly and the certainty of the position of the locking bolts.

With the OQLS, the operator is guided through all the steps on the control panel and provides audio and visual signals in hazardous situations.

OQLS PROVIDES THE FOLLOWING BENEFITS:

- » Mindful, controlled connection process.
- » Sensor detection of attachment pins and locking cylinder position.
- » Automatic activation of the machine's hydraulics.
- » The system logs all events as well as the last 32 events in chronological order.



DC2 / OQCS-4

OQLS is operated with the included display. Tiltrotators are delivered with touch display as standard.





OILQUICKAMERICAS.COM | 262.607.8425 | INFO@OILQUICKAMERICAS.COM
155 MAIN STREET, SUPERIOR, WI 54880



@oilquickamericas



@oilquickamericas



/oilquickamericas